

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Latypov *et al.*

Appl. No.: (to be assigned)

(Continuation of U.S. Appl. No. 10/765,947;

Filed: January 29, 2004)

Filed: (herewith)

For: **System and Method for Calibrating a
Spatial Light Modulator Array Using
Shearing Interferometry**

Confirmation No.: (to be assigned)

Art Unit: 2873

Examiner: Choi, William C.

Atty. Docket: 1857.2270001/DJF/GSB

**Authorization to Treat a Reply as Incorporating an
Extension of Time under 37 C.F.R. § 1.136(a)(3)**


Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

The U.S. Patent and Trademark Office is hereby authorized to treat any concurrent or future reply that requires a petition for an extension of time under this paragraph for its timely submission, as incorporating a petition for extension of time for the appropriate length of time. The U.S. Patent and Trademark Office is hereby authorized to charge all required extension of time fees to our Deposit Account No. 19-0036, if such fees are not otherwise provided for in such reply.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.



George S. Bardmesser
Attorney for Applicants
Registration No. 44,020

Date: 11/5/04
1100 New York Avenue, N.W.
Washington, D.C. 20005-3934
(202) 371-2600
331455_1.DOC